

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1253	S1 and @pd<="20021128"	US-PGPUB; USPAT; JPO	OR	ON	2006/01/31 15:55
S1	1444	324/537.ccls.	US-PGPUB; USPAT; JPO	OR	ON	2006/01/31 15:57
S4	12	S2 and (AC (alternating adj current) (alternating-current)) same mov\$4	US-PGPUB; USPAT; JPO	OR	ON	2006/01/31 15:57
S6	193	S2 and (AC (alternating adj current) (alternating-current))	US-PGPUB; USPAT; JPO	OR	ON	2006/01/31 15:57
S7	22	("3975680" "4439727" "4565966" "4583042" "5055776" "5072176" "5079501" "5124647" "5124660" "5166626" "5254953" "5266901" "5274336" "5391993" "5420500" "5444364" "5517110" "5608328" "5696451" "5747999" "6087842" "6184672").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/31 16:53
S8	3	("6373258").URPN.	USPAT	OR	OFF	2006/01/31 16:54
S5	328	324/715.ccls.	US-PGPUB; USPAT; JPO	OR	ON	2006/01/31 17:20
S9	26	S5 and (probe near2 mov\$5)	US-PGPUB; USPAT; JPO	OR	ON	2006/01/31 17:22
S10	12	S5 and (probe near2 mov\$5) and (AC (alternating adj current) (alternating-current))	US-PGPUB; USPAT; JPO	OR	ON	2006/01/31 17:23
S11	2126	(probe near2 mov\$5) and (AC (alternating adj current) (alternating-current))	US-PGPUB; USPAT; JPO	OR	ON	2006/01/31 17:23
S12	612	S11 and "324"/\$.ccls.	US-PGPUB; USPAT; JPO	OR	ON	2006/01/31 17:23
S13	418	S12 and @pd<="20021128"	US-PGPUB; USPAT; JPO	OR	ON	2006/01/31 17:34
S15	3	(four near2 point near2 probe) same (test near2 pattern)	US-PGPUB; USPAT; JPO	OR	ON	2006/01/31 17:37
S16	1909	(pattern) same (circuit near2 board) same width	US-PGPUB; USPAT; JPO	OR	ON	2006/01/31 17:39

S17	79	S16 and "324"/\$.ccls.	US-PGPUB; USPAT; JPO	OR	ON	2006/01/31 17:39
S18	0	("2004/0095144").URPN.	USPAT	OR	OFF	2006/02/01 11:18
S14	16	(four near2 point near2 probe) near5 mov\$5	US-PGPUB; USPAT; JPO	OR	ON	2006/02/01 11:27
S19	2	(four near2 point near2 probe) near5 mov\$5 same pattern	US-PGPUB; USPAT; JPO	OR	ON	2006/02/01 11:27
S21	2	S20 and (range)	USPAT	OR	OFF	2006/02/01 15:35
S22	5	S20 and (threshold predetermined)	USPAT	OR	ON	2006/02/01 15:40
S24	6	S23 and "324"/\$.ccls.	US-PGPUB; USPAT; JPO	OR	ON	2006/02/01 15:43
S23	159	(circuit near2 board) same (acceptable near5 range)	US-PGPUB; USPAT; JPO	OR	ON	2006/02/01 15:52
S25	1025	(pattern) same (acceptable near5 range)	US-PGPUB; USPAT; JPO	OR	ON	2006/02/01 15:53
S26	19	S25 and "324"/\$.ccls.	US-PGPUB; USPAT; JPO	OR	ON	2006/02/01 15:53
S20	7	(US-20020153909-\$ or US-20040095144-\$).did. or (US-6462556-\$ or US-6373258-\$ or US-5969530-\$ or US-6411079-\$ or US-6967498-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/02/01 16:55
S27	1	S20 and image	US-PGPUB; USPAT	OR	OFF	2006/02/01 17:01
S28	1	("6614210").PN.	USPAT; USOCR	OR	OFF	2006/02/01 17:02
S29	1	("6614250").PN.	USPAT; USOCR	OR	OFF	2006/02/01 17:06
S31	21	S30 and "324"/\$.ccls.	USPAT	OR	OFF	2006/02/01 17:06
S30	301	(circuit near2 board near5 inspect\$4) same (image camera)	USPAT	OR	OFF	2006/02/01 17:39
S32	0	(circuit near2 board near5 inspect\$4) same (gap near3 control)	USPAT	OR	OFF	2006/02/01 17:40
S33	13	(circuit near2 board near5 inspect\$4) same (gap)	USPAT	OR	OFF	2006/02/01 17:40
S34	2	(maintain near5 predetermined near5 gap) same (circuit near2 board)	USPAT	OR	OFF	2006/02/01 17:50
S35	4	(maintain near5 predetermined near5 gap) same (board)	USPAT	OR	OFF	2006/02/01 17:51

S37	4	gap near2 control near2 mean	USPAT	OR	ON	2006/02/01 17:51
S39	745	324/758.ccls.	USPAT	OR	ON	2006/02/01 18:01
S40	6	S39 and (gap near5 constant)	USPAT	OR	ON	2006/02/01 18:01
S41	1428	"324"/\$.ccls. and (constant near5 (gap distance))	USPAT	OR	ON	2006/02/01 18:02
S42	235	"324"/\$.ccls. and (constant near5 (gap distance) same capacit\$5)	USPAT	OR	ON	2006/02/01 18:02
S43	17	"324"/\$.ccls. and (constant near5 (gap distance) same (circuit near3 board))	USPAT	OR	ON	2006/02/01 18:02
S38	5	(gap near2 control) same (circuit near3 pattern)	USPAT	OR	ON	2006/02/01 18:05
S44	426	(gap near2 control) same (constant)	USPAT	OR	ON	2006/02/01 18:06
S45	13	(gap near2 control) same (constant near2 distance)	USPAT	OR	ON	2006/02/01 18:07
S46	76	(circuit near2 board) same (constant near2 (spacing gap))	USPAT	OR	ON	2006/02/01 18:08
S48	1	("5811988").PN.	USPAT; USOCR	OR	OFF	2006/02/01 18:09
S49	1	("5811980").PN.	USPAT; USOCR	OR	OFF	2006/02/01 18:09
S47	24	(circuit near2 board) same (constant near2 (spacing gap)) and capacit\$5	USPAT	OR	ON	2006/02/01 18:11
S50	861	electrode\$1 near5 gap near5 constant	US-PGPUB; USPAT	OR	ON	2006/02/01 18:11
S52	38	S50 and "324"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/02/01 18:14
S53	63	(wafer near5 inspect\$5) same (gap)	US-PGPUB; USPAT	OR	ON	2006/02/01 18:15
S54	3	("5475319" "5485091" "6278267").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 18:20
S56	270	S55 and (circuit adj board)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 18:20
S57	12	S56 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 18:20
S55	2981	constant adj gap	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 18:22
S58	127	S55 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 18:23

L3	72	324/530.ccls.	US-PGPUB; USPAT; JPO	OR	OFF	2006/02/02 14:59
L4	4434	324/765.ccls.	US-PGPUB; USPAT; JPO	OR	OFF	2006/02/02 14:59
L5	428	4 and (AC (alternating adj current) (alternating-current))	US-PGPUB; USPAT; JPO	OR	OFF	2006/02/02 15:00
L6	14	4 and (AC (alternating adj current) (alternating-current)) same (circuit near2 board)	US-PGPUB; USPAT; JPO	OR	OFF	2006/02/02 15:00